Application/Control Number: 10/533,381 Page 2

Art Unit: 1796

## REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

2. Applicant's comparative data as presented in the specification and the rule 132
Declaration filed 9/11/08 indicates unexpected retention of flexibility attributable to a molar ratio range of 3% to 25 % for 3HH, where less than 3% of 3HH leads to flexibility loss and unacceptably high processing temperature for forming films and more than 25% of 3HH results in an unacceptably slow crystallization rate.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kriellion A. Sanders whose telephone number is 571-272-1122. The examiner can normally be reached on Monday through Thursday 8:30am-7:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on 571-272-1498. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Kriellion A. Sanders/

Primary Examiner, Art Unit 1796

Kriellion A. Sanders Primary Examiner Art Unit 1796